

## PUBLISHED INFORMATION REQUEST

Reference: 10669

Description: Patients - Surgery/Foreign Objects

## Response

1) The number of instances in which a surgical instrument has been left inside a patient's body following a surgical procedure between 2015 and 2019 (up to present day and itemised by year).

- For each instance, please list:

a) the type of instruments found during this time and where in the body they were discovered.

Row Labels	2015	2016	2017	2018	2019	Grand Total
Cement Plug	1					1
Drain				1		1
Drill Bit			3		1	4
Guide Pin				1		1
Guide Wire		1	2			3
Hook					1	1
K Wire			2	2		4
Laser Fibre			2		1	3
Needle	1					1
Pin					2	2
Scalpel Tip		1				1
Surgical Bur					1	1

Trust Headquarters:
Westmorland General Hospital
Burton Road
Kendal

LA9 7RG CHAIR: PROFESSOR MIKE THOMAS
Tel: 01539 716621 CHIEF EXECUTIVE: AARON CUMMINS

Surgical Bur Tip		1				1
Grand Total	2	3	9	4	6	24

b) The surgical procedure that was taking place when instrument was left inside body.

	2015	2016	2017	2018	2019	Grand Total
F14.7 - Removal of		Less than 5				Less than 5
orthodontic anchorage L99.7 - Percutaneous		Less				Less
transluminal peripheral		than 5				than 5
insertion of central		l man o				tilali o
catheter						
M09.3 - Endoscopic					Less	Less
laser fragmentation of					than 5	than 5
calculus of kidney						
M28.2 - Endoscopic			Less			Less
fragmentation of calculus			than 5			than 5
of ureter NEC						
P13.5 - Female	Less					Less
perineotomy NEC	than 5				Lana	than 5
V15.2 - Open reduction of fracture of mandible					Less than 5	Less than 5
NEC					เกลก 5	เกลก 5
V16.1 - Osteotomy of					Less	Less
mandible and					than 5	than 5
advancement of					than 5	tildii 0
mandible						
V17.2 - Internal fixation			Less			Less
of mandible NEC			than 5			than 5
W16.4 - Osteotomy and			Less			Less
internal fixation NEC			than 5			than 5
W19.2 - Primary open			Less			Less
reduction of fracture of			than 5			than 5
long bone and fixation						
using rigid nail NEC						
W19.6 - Primary open			Less			Less
reduction of fragment of			than 5			than 5
bone and fixation using wire system						
W19.8 - Other specified			Less			Less
primary open reduction			than 5			than 5
of fracture of bone and						
intramedullary fixation						
W20.1 - Primary open		Less	Less	Less		Less
reduction of fracture of		than 5	than 5	than 5		than 5
long bone and						
extramedullary fixation						
using plate NEC						_
W23.2 - Secondary open				Less		Less
reduction of fracture of				than 5		than 5
bone and extramedullary						
fixation HFQ W28.3 - Removal of					Less	Less
internal fixation from					than 5	than 5
bone NEC					ulali J	uiaii 3
DOTIO INCO		<u> </u>	1	<u> </u>	<u> </u>	

W37.1 - Primary total prosthetic replacement of hip joint using cement	Less than 5					Less than 5
W40.1 - Primary total prosthetic replacement of knee joint using cement			Less than 5		Less than 5	Less than 5
W42.3 - Revision of total prosthetic replacement of knee joint NEC				Less than 5		Less than 5
	Less than 5	Less than 5	9	Less than 5	6	24

c) The patient's outcome, i.e. if anyone has become seriously ill as a result of leaving an surgical instrument inside the body of a patient or if anyone has died as a result of leaving a surgical instrument inside the body of a patient. (if this exceeds the scope of the request please inform me before omitting it).

Row Labels	2015	2016 2017 2018 2019				Grand Total
1 No Injuries		1	8	3	3	15
2 Low (Extra Observation Or Minor Treatment)	1	1	1		3	6
3 Moderate (Further Treatment Or Procedure)	1	1		1		3
Grand Total	2	3	9	4	6	24

d) How many people have taken legal action against the Trust as a result of a surgeon leaving a surgical instrument inside the body of a patient. (if this exceeds the scope of the request please inform me before omitting it).

One - 2015